

CMS Home Health Quality Reporting Program
OASIS-D Guidance Manual (effective 1/1/2019)
Errata July 30, 2018

Key

- SOC Start of care
- ROC Resumption of care
- FU Follow-Up
- TRN Transfer to an Inpatient Facility
- DC Discharge from Agency
- RSI Response-Specific Instructions

Row #	Chapter - Section	Item - Page	Text (Error in <i>Italics</i>) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in <i>Italics</i>)	Description of Revision(s)
1	1 - TIME POINTS	Paragraph 3 1-4	Line 2,3, 4 A physician-ordered resumption of care (ROC) must be conducted <i>on or within 2 calendar days</i> of the physician-ordered ROC date.	A physician-ordered resumption of care (ROC) <i>visit</i> must be conducted <i>on</i> the physician-ordered ROC date.	Correction to accurately reflect revised Condition of Participation related to physician-ordered ROC date
2	3 - F	RSI, M1306, F-1	Bullet 4 Terminology referring to 'healed' vs. 'unhealed' <i>ulcers</i> can refer to whether the <i>ulcer</i> is 'closed' vs. 'open'.	Terminology referring to 'healed' vs. 'unhealed' <i>ulcers/injuries</i> can refer to whether the <i>ulcer/injury</i> is 'closed' vs. 'open'.	The reference could pertain to an ulcer and/or injury.
3	3 - F	RSI, M1306, F-1	Bullet 5 Enter Response 0 (No), if the only pressure <i>ulcer/injury</i> is one or more Stage 1 OR healed pressure ulcers/injuries (of any previous stage) AND the patient has no other pressure ulcers/injuries.	Enter Response 0 (No), if the only pressure <i>injury</i> is one or more Stage 1 OR healed pressure ulcers/injuries (of any previous stage) AND the patient has no other pressure ulcers/injuries.	The first reference pertains to Stage 1 only, which is designated as injury, not ulcer.
4	3 - F	RSI, M1307,	Bullet 6		First reference in this instruction

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
		F-3	If no pressure <i>ulcer</i> existed at the <i>SOC</i> , then a Stage 1 pressure injury developed, which progressed to a <i>Stage 2</i> by discharge, enter Response 2, and specify the date that the pressure ulcer was first identified as a Stage 2 ulcer.	If no pressure <i>ulcer/injury</i> existed at the <i>SOC/ROC</i> , then a Stage 1 pressure injury developed, which progressed to a <i>Stage 2 ulcer</i> by discharge, enter Response 2, and specify the date that the pressure ulcer was first identified as a Stage 2 ulcer.	could be to an ulcer or an injury.
5	3 - F	SOC/ROC, M1311E1, F-5	Line 3 Number of unstageable pressure <i>ulcers/injuries</i> due to coverage of wound bed by slough and/or eschar	Number of unstageable pressure <i>ulcers</i> due to coverage of wound bed by slough and/or eschar	Slough and/or eschar may only cover a full-thickness pressure ulcer, thus injury is not applicable. Correct this phrase in instruments, and in Guidance pages item snapshots.
6	3-F	FU,M1311E1, F-6	Line 3 Number of unstageable pressure <i>ulcers/injuries</i> due to coverage of wound bed by slough and/or eschar	Number of unstageable pressure <i>ulcers</i> due to coverage of wound bed by slough and/or eschar	Slough and/or eschar may only cover a full-thickness pressure ulcer, thus injury is not applicable. Correct this phrase in instruments, and in Guidance pages item snapshots
7	3 - F	DC, M1311F2, F-7	Line 1 Number of these pressure <i>ulcers</i> that were present at most recent SOC/ROC	Number of these pressure <i>injuries</i> that were present at most recent SOC/ROC	Deep tissue injury is designated as injury, not as ulcer. Correct this phrase in instruments, and in Guidance pages item snapshots.
8	3 - F	RSI, M1311,	[<i>Instruction that a dash is</i>	Coding Instructions	Amend RSI to include this

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
		F-8	<i>allowed for the Discharge time point, is not included. Note - this is noted on Appendix G, Change Table]</i>	<i>Dash is a valid response for this item, at the Discharge time point only. CMS expects dash use to be a rare occurrence.</i>	instruction, to be consistent in how dash as a valid response is communicated
9	3 - F	M1311, Sub-header, F-9	Unstageable <i>Ulcers</i>	Unstageable <i>Ulcers/Injuries</i>	Unstageable may be an ulcer, or an injury.
10	3 - F	M1311, Example 3, Rationale, F-11	Line 3 Any pressure <i>ulcer/injury</i> that is observed to be unstageable due to slough and/or eschar...	Any pressure <i>ulcer</i> that is observed to be unstageable due to slough and/or eschar...	Slough and/or eschar may only cover a full thickness ulcer. Injury does not apply.
11	3 - F	RSI, M1324, F-13	Bullet 1 Terminology referring to 'healed' vs. 'unhealed' <i>ulcers</i> can refer to whether the <i>ulcer</i> is 'closed' vs. 'open'.	Terminology referring to 'healed' vs. 'unhealed' <i>ulcers/injuries</i> can refer to whether the <i>ulcer/injury</i> is 'closed' vs. 'open'. (Note: this instruction is repeated, from Sec F, pF-1)	The reference could pertain to an ulcer and/or injury.
12	3 - F	RSI, M1324, F-13	Bullet 3 Determine which stageable pressure <i>ulcer</i> is the most problematic.	Determine which stageable pressure <i>ulcer/injury</i> is the most problematic.	Reference could pertain to an ulcer or an injury.
13	3 - F	RSI, M1324, F-13	Bullet 3, sub-bullet 2 If the patient has only one stageable pressure <i>ulcer</i> , then that <i>ulcer</i> is the most problematic.	If the patient has only one stageable pressure <i>ulcer/injury</i> , then that <i>ulcer/injury</i> is the most problematic.	The reference could be to an ulcer or an injury.
14	3 - F	RSI, M1324 F-14	First bullet on page; 4 th in RSI; Line 2-3 Enter 'NA' if the patient has NO	Enter 'NA' if the patient has NO pressure <i>ulcers/injuries</i> or only	See row 15; And, unstageable may also refer to pressure injury/deep tissue

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
			pressure <i>ulcers</i> or only has pressure <i>ulcers</i> that are Unstageable as defined above.”	has pressure <i>ulcers/injuries</i> that are Unstageable as defined above.	injury; or, pressure ulcer
15	3 - GG	GG0170F GG-16 GG-18 GG-20	F. Toilet <i>transfer</i> : The ability to get on and off a toilet or commode.	F. Toilet <i>transfer</i> : The ability to get on and off a toilet or commode.	Correct “typo” error
16	Appendix G	M1306	(M1306) Does this patient have at least one Unhealed Pressure Ulcer at Stage 2 or Higher 0 No [Go to M1322] 1 Yes	(M1306) Does this patient have at least one Unhealed Pressure Ulcer at Stage 2 or Higher 0 No [Go to M1322 at SOC/ROC/FU; Go to M1324 at DC] 1 Yes	Skip pattern change, M1306, from C2 to D, noted on Instruments , but not listed in Appendix G Change Table
16A	Appendix G	Row M1306, Item Change Section	Skip Pattern Change column [“X” does not appear in this column to reflect the change in Skip Pattern for item M1306, from OASIS-C2 to OASIS-D]	Enter “X” in Skip Pattern Change column	Correct Appendix G